Maintanance of BBMP drilled borewells in Ward No.10 (Doddabommasandra). Vidyaranyapura Sub-Division

1	**Lifting of Submersible pump set as per Soecification and direction etc., complete and as per the directions of the Engineer-in-charge of the work**	**Each**	**25**	**850**	**21250**
1	Chamundeswari layout ,5th main road , Opposite Yellamma temple road. (10H.P/20 stg, RR No.C3WP-261 , 22 lengths)				
2	B.E.L.layout, 2nd block , behind Adigas (10H.P/20 , RRNo.No Meter ,20lengths)				
3	2nd main, 1st cross, Nanjappa layout , opp # 106 (15H.P/25, RRNo, ID -7341693562 , 20 lengths)				
4	Chamundeswari layout ,Aswathakatte temple road , #50, Anushree nilaya. (10.00 H.P/25 , RRNo C3WP-274 , 21 lengths)				
5	Swimming pool road , Chamundeswari layout, # 118 ,Venkateswara nilaya (12.50H.P/25 , RRNoID -7181334511 , 34 lengths)				
6	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)				
7	Ramanna garden , #52, 2nd cross (10.00HP/20STG , RRNo.C3WP-258, 20lengths)				
8	Patel pillegowda layout , 3rd cross, #95, Jagadeeswara nilaya (10H.P/25 , RRNo ID 3208255270, 20 lengths)				
9	K.N.V. 1st stage , Viswabharathi school (12.50 H.P /25, RRNo.C3WP-224 , 23 lengths)				
10	Ramachandrapura old village (, RRNo .C3WP-217 , lengths)				
11	K.N.V. 2nd stage , near R.R school , Padma store . (15H.P/25 , RRNo.C3WP-275 , 27 lengths)				
12	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)				
13	Gangamma gudi, #50 , Kuchmon house road . (15H.P/30, RRNo C3WP-205 , 30 lengths)				
14	B.E.L.compound road, # 20, Koustubha nilaya (10H.P/20 , RRNo C3WP-269 , 24lengths)				
15	Kalappa layout ,Near Opp.Muslim store (15H.P/30 , RRNo ID-3472138564 , 32 lengths)				
16	Gopalappa garden , near Balappa house. (12.50 HP /25 , RRNo C3WP-259 ,29 lengths)				
17	Jola rotti hotel , D.B.Sandra (12.50HP/20 , RRNo S.L.No .11371572 , 28 lengths)				
18	Opp. G . Krishna moorthy House, D.B.Sandra, Venugopalswamy temple. (12.50HP/30 , RRNoNo Meter , 30 lengths)				
19	Opp. Government School, D.B.Sandra. (10H.P/20 , RRNo C3WP-271 , 26 lengths)				
20	Opposite Tempo stand , Muneswara layout, #16. (10H.P/20STG , RRNo,C3WP-207 , 22 lengths)				
21	Near Kateeramma temple. A.K.Colony. D.B.Sandra (10H.P/20 , RRNo C3P-2599 , 25 lengths)				
22	Venkatagiriyappa layout, Raghavendra mutt road., # 28 (10H.P/20 , RRNoC3WP-272 , 21 lengths)				
23	G.Krishnamurthy layout.Near Sujatha House. (12.50HP /20 , RRNoS.L.No .11488418 , 25 lengths)				
24	Dodda bommasandra BEL compound , BEL Road, medicals stores Ramesh house opposite (H.P 10/ 20 stg , RRNo , 24 lengths)				
25	Ramachandrapura Elumandamma layout (12.50HP/24 Stg , RRNo ,27 lengths)				
26	Chamundeswari layout, burial ground road. (H.P 10/ 20 stg , RRNo , 21 lengths)				
27	Nanjappa laout, 1st main, 7th cross. (7.50/16 stg , RRNo ,12 lengths)				
2	**Transportation of pumping machineries etc., complete and as per the directions of the Engineer-in-charge of the work**	**Each**	**25**	**900**	**22500**
	QTY SAME AS ITEM NO 1				

3	Labour charges (over hauling) etc., complete and as per the directions of the Engineer-in-charge of the work	Job	25	550	13750
	QTY SAME AS ITEM NO 1				
4	A) Repairs to Motor: Rewinding of submersible pump sets with copper insulation wire of suitable gauge as per ISI specification with guarantee of 6 months. (Above 10 HP upto 20 HP add Rs.150/- for every ϕ HP) etc., complete and as per the directions of the Engineer-in-charge of the work	Job	25	4000	100000
	LOCATION AND QTY SAME AS ITEM NO 1				
5	Starter (with one year Guarantee) etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	5000	125000
	LOCATION AND QTY SAME AS ITEM NO 1				
6	Rotor (with one year Guarantee) etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	4200	105000
	LOCATION AND QTY SAME AS ITEM NO 1				
7	Upper Flange etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	300	7500
	LOCATION AND QTY SAME AS ITEM NO 1				
8	Lower Housing etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	560	14000
	LOCATION AND QTY SAME AS ITEM NO 1				
9	Carbon Housing etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	450	11250
	LOCATION AND QTY SAME AS ITEM NO 1				
10	Thrust bearing block assembly complete with Segment bearing pad etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	1200	30000
	LOCATION AND QTY SAME AS ITEM NO 1				
11	Oil Seal etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	100	2500
	LOCATION AND QTY SAME AS ITEM NO 1				
12	Oil Seal Steel Bush etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	150	3750
	LOCATION AND QTY SAME AS ITEM NO 1				

13	Guide vane etc., complete and as per the directions of the Engineer-in-charge of the work	No.	350	120	42000
	LOCATION AND QTY SAME AS ITEM NO 1				
14	Impeller Shell moulded with aluminium Bronze) etc., complete and as per the directions of the Engineer-in-charge of the work	No.	350	400	140000
	LOCATION AND QTY SAME AS ITEM NO 1				
15	Discharge outlet (D.O) Bearing D.O Steel Bush etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	400	10000
	LOCATION AND QTY SAME AS ITEM NO 1				
16	Steel Bush etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	125	3125
	LOCATION AND QTY SAME AS ITEM NO 1				
17	Pump shaft made out of stainless steel Centreless ground with key way (upto 8 stages) etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	900	22500
	LOCATION AND QTY SAME AS ITEM NO 1				
18	Non – return valve (NRV) assembly complete with rubber 'O' Ring etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	1200	30000
	LOCATION AND QTY SAME AS ITEM NO 1				
19	Cable Guard etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	150	3750
	LOCATION AND QTY SAME AS ITEM NO 1				
20	Brass Filter etc., complete and as per the directions of the Engineer-in-charge of the work	No.	25	200	5000
	LOCATION AND QTY SAME AS ITEM NO 1				
21	Re-erection charges of pumping machineries including overhauling and pointing etc., complete and as per the directions of the Engineer-in-charge of the work	Each	25	1400	35000
	LOCATION AND QTY SAME AS ITEM NO 1				
22	Supplying of ISI marked galvanized mild steel tube (continously welded electric resistance welded (ERW) high frequency, induction welded (HFIW) Hot finished welded type of nominal bore given below screwed at both ends as per IS 554/1986 with latest amendments, pipes threaftes at one end and the other end protected asper specification in random lengths of 4 to 7 mtrs Confirming to IS 1239 part I/1990 with amendament 1-5 and with all its latest amendements if any. The pipes supplied should be with BIS mark etc., complete and as per the directions of the Engineer-in-charge of the work	Rmtr	100	350	35000

	B.E.L.layout, 2nd block , behind Adigas (10H.P/20 , RRNo.No Meter ,20lengths)	6				
	Swimming pool road , Chamundeswari layout, # 118 ,Venkateswara nilaya (12.50H.P/25 , RRNoID -7181334511 , 34 lengths)	6				
	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)	12				
	Ramanna garden , #52, 2nd cross (10.00HP/20STG , RRNo.C3WP-258, 20lengths)	12				
	Patel pillegowda layout , 3rd cross, #95, Jagadeeswara nilaya (10H.P/25 , RRNo ID 3208255270, 20 lengths)	6				
	K.N.V. 1st stage , Viswabharathi school (12.50 H.P /25, RRNo.C3WP-224 , 23 lengths)	6				
	Ramachandrapura old village (, RRNo .C3WP-217 , lengths)	12				
	K.N.V. 2nd stage , near R.R school , Padma store . (15H.P/25 , RRNo.C3WP-275 , 27 lengths)	12				
	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)	6				
	Gangamma gudi, #50 , Kuchmon house road . (15H.P/30, RRNo C3WP-205 , 30 lengths)	12				
	B.E.L.compound road, # 20, Koustubha nilaya (10H.P/20 , RRNo C3WP-269 , 24lengths)	6				
	Kalappa layout ,Near Opp.Muslim store (15H.P/30 , RRNo ID-3472138564 , 32 lengths)	6				
		102				
23	**Heavy Duty Collar 50 mm dia etc., complete and as per the directions of the Engineer-in-charge of the work**	**Nos**	**25**	**130**	**3250**	
	B.E.L.layout, 2nd block , behind Adigas (10H.P/20 , RRNo.No Meter ,20lengths)	2				
	Swimming pool road , Chamundeswari layout, # 118 ,Venkateswara nilaya (12.50H.P/25 , RRNoID -7181334511 , 34 lengths)	3				
	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)	2				
	Ramanna garden , #52, 2nd cross (10.00HP/20STG , RRNo.C3WP-258, 20lengths)	2				
	Patel pillegowda layout , 3rd cross, #95, Jagadeeswara nilaya (10H.P/25 , RRNo ID 3208255270, 20 lengths)	2				
	K.N.V. 1st stage , Viswabharathi school (12.50 H.P /25, RRNo.C3WP-224 , 23 lengths)	2				
	Ramachandrapura old village (, RRNo .C3WP-217 , lengths)	2				
	K.N.V. 2nd stage , near R.R school , Padma store . (15H.P/25 , RRNo.C3WP-275 , 27 lengths)	2				
	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)	2				
	Gangamma gudi, #50 , Kuchmon house road . (15H.P/30, RRNo C3WP-205 , 30 lengths)	2				
	B.E.L.compound road, # 20, Koustubha nilaya (10H.P/20 , RRNo C3WP-269 , 24lengths)	2				
	Kalappa layout ,Near Opp.Muslim store (15H.P/30 , RRNo ID-3472138564 , 32 lengths)	2				
		25				
24	**Supplying and drawing 3 core flat PVC sheathed submersible pump cable manufactured with electrolytic grade copper with flexible copper conductor confirming to table 3 class 5 of IS:8130-1984 and virgin grade PVC insulation and sheathed suitable for working voltage upto etc., complete and as per the directions of the Engineer-in-charge of the work**	**Mtr**	**350**	**140**	**49000**	
	B.E.L.layout, 2nd block , behind Adigas (10H.P/20 , RRNo.No Meter ,20lengths)	12				
	Swimming pool road , Chamundeswari layout, # 118 ,Venkateswara nilaya (12.50H.P/25 , RRNoID -7181334511 , 34 lengths)	12				

	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)	24			
	Ramanna garden , #52, 2nd cross (10.00HP/20STG , RRNo.C3WP-258, 20lengths)	24			
	Patel pillegowda layout , 3rd cross, #95, Jagadeeswara nilaya (10H.P/25 , RRNo ID 3208255270, 20 lengths)	12			
	K.N.V. 1st stage , Viswabharathi school (12.50 H.P /25, RRNo.C3WP-224 , 23 lengths)	12			
	Ramachandrapura old village (, RRNo .C3WP-217 , lengths)	24			
	K.N.V. 2nd stage , near R.R school , Padma store . (15H.P/25 , RRNo.C3WP-275 , 27 lengths)	24			
	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)	12			
	Gangamma gudi, #50 , Kuchmon house road . (15H.P/30, RRNo C3WP-205 , 30 lengths)	24			
	B.E.L.compound road, # 20, Koustubha nilaya (10H.P/20 , RRNo C3WP-269 , 24lengths)	12			
	Jola rotti hotel , D.B.Sandra (12.50HP/20 , RRNo S.L.No .11371572 , 28 lengths)	146			
	Kalappa layout ,Near Opp.Muslim store (15H.P/30 , RRNo ID-3472138564 , 32 lengths)	12			
		350			
25	**Supplying of LTUG cable having aluminium condutor PVC insulated shethed, galvnised steel, wire / steel tap armoured cable with PVC outer sheathing 1.1 KV class.P No. 68/ I No. 4(d) 4 core 16 Sqmm etc., complete and as per the directions of the Engineer-in-charge of the work**	Mtr	60	90	5400
	K.N.V. 1st stage , Viswabharathi school (12.50 H.P /25, RRNo.C3WP-224 , 23 lengths)	18			
	Ramachandrapura old village (, RRNo .C3WP-217 , lengths)	16			
	B.E.L.compound road, # 20, Koustubha nilaya (10H.P/20 , RRNo C3WP-269 , 24lengths)	12			
	Kalappa layout ,Near Opp.Muslim store (15H.P/30 , RRNo ID-3472138564 , 32 lengths)	15			
	TOTAL	61			
26	**Labour charges for laying of 1.1 K.V class UG cable (PWD Electrical SR-1999-2000, P No. 69 / I No. Ia In existing trencg/duct 6Sqmm to 16 Sqmm) etc., complete and as per the directions of the Engineer-in-charge of the work**	Mtr	60	6	360
	LOCATION AND QTY SAME AS ITEM NUMBER 25				
27	**Digging or trenching of 0.6m deep x 0.5 mtr wide refilling the trench to the required ground level and consolidating etc., complete (as per Civil SR KSRB 1-2 P-7) etc., complete and as per the directions of the Engineer-in-charge of the work**	Mtr	50	60	3000
	K.N.V. 1st stage , Viswabharathi school (12.50 H.P /25, RRNo.C3WP-224 , 23 lengths)				
	Ramachandrapura old village (, RRNo .C3WP-217 , lengths)				
	B.E.L.compound road, # 20, Koustubha nilaya (10H.P/20 , RRNo C3WP-269 , 24lengths)				
	Kalappa layout ,Near Opp.Muslim store (15H.P/30 , RRNo ID-3472138564 , 32 lengths)				

28	**Supplying and fixing of Class A (mealum duty) GI pipe of wall thickness not less than 3.25mm on pole/wall/drain crossing with necessary clamping arrangements for UG cable of 1.1 KV class etc., complete and as per the directions of the Engineer-in-charge of the work**	Mtr	32	200	6400
1	K.N.V. 1st stage , Viswabharathi school (12.50 H.P /25, RRNo.C3WP-224 , 23 lengths)				
2	Ramachandrapura old village (, RRNo .C3WP-217 , lengths)				
3	B.E.L.compound road, # 20, Koustubha nilaya (10H.P/20 , RRNo C3WP-269 , 24lengths)				
4	Kalappa layout ,Near Opp.Muslim store (15H.P/30 , RRNo ID-3472138564 , 32 lengths)				
5	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)				
6	2nd main, 1st cross, Nanjappa layout , opp # 106 (15H.P/25, RRNo, ID -7341693562 , 20 lengths)				
7	Near Kateeramma temple. A.K.Colony. D.B.Sandra (10H.P/20 , RRNo C3P-2599 , 25 lengths)				
8	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)				
29	**Supplying and fixing L.T. cast Iron pot head suitable for 1.1 KV class UG cable filled with necessary bituumen/insulating compound complete with terminals, clamps, bolts, nuts and washers etc., complete and as per the directions of the Engineer-in-charge of the work**	No.	8	200	1600
1	K.N.V. 1st stage , Viswabharathi school (12.50 H.P /25, RRNo.C3WP-224 , 23 lengths)				
2	Ramachandrapura old village (, RRNo .C3WP-217 , lengths)				
3	B.E.L.compound road, # 20, Koustubha nilaya (10H.P/20 , RRNo C3WP-269 , 24lengths)				
4	Kalappa layout ,Near Opp.Muslim store (15H.P/30 , RRNo ID-3472138564 , 32 lengths)				
5	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)				
6	2nd main, 1st cross, Nanjappa layout , opp # 106 (15H.P/25, RRNo, ID -7341693562 , 20 lengths)				
7	Near Kateeramma temple. A.K.Colony. D.B.Sandra (10H.P/20 , RRNo C3P-2599 , 25 lengths)				
8	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)				
30	**Supplying, fixing, wiring, earth electrode for grounding conduits, I.C cutouts and other equipments on the meter board using 40 mm dia 2.90 mm thick GI pipe 2.5 m long buried in a pit. The pit should be filled with equal propotion of soit and charocoal 150 mm alround the pipe to complete depth. The connection from the pipe to the conduit etc., is to be established through GI wire of size, as per ISI specification 7.3.3 IS 732 using 12 mm dia bolts, nuts, washers and check nuts, etc., the pipe shall have 16 throught holes of 122 mm dia, etc., complete and as per the directions of the Engineer-in-charge of the work**	No	3	1900	5700
	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)				

	Near Kateeramma temple. A.K.Colony. D.B.Sandra (10H.P/20 , RRNo C3P-2599 , 25 lengths)				
	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)				
31	**Supplying and fixing of Porcelain fuse channel with cut out on existing wooden / panel using necessary nuts, bolts and washer etc., complete and as per the directions of the Engineer-in-charge of the work**	**No.**	**12**	**90**	**1080**
1	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)				
2	2nd main, 1st cross, Nanjappa layout , opp # 106 (15H.P/25, RRNo, ID -7341693562 , 20 lengths)				
3	Near Kateeramma temple. A.K.Colony. D.B.Sandra (10H.P/20 , RRNo C3P-2599 , 25 lengths)				
4	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)				
32	**KSRB 13-7.1-4: Providing and fixing in position 50mm nominal bore gun metal non-return valve horizontal type of approved make including cost of all materials, labour and HOM of equipments with all leads etc., complete and as per the directions of the Engineer-in-charge of the work**	**Nos**	**3**	**900**	**2700**
	Swimming pool road , Chamundeswari layout, # 118 ,Venkateswara nilaya (12.50H.P/25 , RRNoID -7181334511 , 34 lengths)				
	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)				
	Ramanna garden , #52, 2nd cross (10.00HP/20STG , RRNo.C3WP-258, 20lengths)				
	Patel pillegowda layout , 3rd cross, #95, Jagadeeswara nilaya (10H.P/25 , RRNo ID 3208255270, 20 lengths)				
	K.N.V. 1st stage , Viswabharathi school (12.50 H.P /25, RRNo.C3WP-224 , 23 lengths)				
	Ramachandrapura old village (, RRNo .C3WP-217 , lengths)				
	K.N.V. 2nd stage , near R.R school , Padma store . (15H.P/25 , RRNo.C3WP-275 , 27 lengths)				
33	**Providing NP/CP waste unions conforming to ISI specifications and fixing them in position as per directions including cost of materials, fixtures and conveyance to work spotetc., complete and as per the directions of the Engineer-in-charge of the work**	**No**	**3**	**201**	**603**
	LOCATION SAME AS ITEM NO 32				
34	**Supplying and fixing 50mm dia GI X nipple with ISI mark with all lead and lift loading unloading and labour charges etc., complete and as per the directions of the Engineer-in-charge of the work**	**No**	**12**	**80**	**960**
	LOCATION SAME AS ITEM NO 32				
35	**Supplying shunt capaitors conforming to IS 2834, 3phase 400/440 volts grade for power factor improvement of rotating machinery, Capacitor in KVAR rating Nos. 2KVAR capacity with all lead and lift =, loading, unloading and labour charges etc., complete and as per the directions of the Engineer-in-charge of the work**	**No**	**3**	**350**	**1050**
	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)				
	Near Kateeramma temple. A.K.Colony. D.B.Sandra (10H.P/20 , RRNo C3P-2599 , 25 lengths)				
	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)				
36	**Supplying and fixing miniature circuit breakers/solaters on existing MCB distribution boards using necessary fixing materiasl wiring complete as requireds 5 to 30 amps triple pole with all lead and lift, loading, unloading and labour charges etc., complete and as per the directions of the Engineer-in-charge of the work**	**No**	**3**	**1000**	**3000**

	Ramachandrapura main road , Opp millenium School (15H.P/20Stg , RRNo ID-5429336259 , 30 lengths)				
	Near Kateeramma temple. A.K.Colony. D.B.Sandra (10H.P/20 , RRNo C3P-2599 , 25 lengths)				
	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)				
37	**Fabrication supplying and mounting MS box of 16 SWG suitable for floor /wall mounting, fully weather proof with provision for better heat dissipation, provided with hinged front cover, equipped with tamper proof locking arrangements, with suitable size clamps with necessary cable entry pipe with gland and box should be finished 2 coats of red oxide primer paint and finally finished with approved colour enamelled metal paint etc., complete box of 21600 sqcm @ Rs.0.33 etc., complete and as per the directions of the Engineer-in-charge of the work**	**Sq.Cm**	**23400**	**0.33**	**7722**
	Muneswara block , Near R.R.School , Church road. (15H.P/30, RRNo ID-8280962535 , 36 lengths)				
	Near Kateeramma temple. A.K.Colony. D.B.Sandra (10H.P/20 , RRNo C3P-2599 , 25 lengths)				
38	**Earthwork excavation for pipeline trenches including deporiting or bank up to a lead of 50 mtrs including shiriry and statting danger lighting and using site rails and boming poles at every 100 mtrs wherever necessary as directed in th following strructure manhole. etc., complete and as per the directions of the Engineer-in-charge of the work**	**Cum**	**60.75**	**180**	**10935**
	Vemanna layout				
	Doddabommasandra Krishnamurthy house				
39	**Providing and instalation at site of works P.V.C.Pipes including cost of pipes and specials and incluidng lowring into trenches, laying true to line, level and perfect linking at joints, leak proof including jointing encasing the pipe airound to a depth Not less than 15cm with grave or selected earth avalabile from the execavation etc., complete and as per the directions of the Engineer-in-charge of**	**Rmtr**	**180**	**150**	**27000**
	Vemanna layout	**120**			
	Doddabommasandra Krishnamurthy house	**68**			
40	**Refilling the basement and pipeline treanches with secleted available earthe for trench excavation including authority condition in layers from thedi including disponsary of the sunplus earth with a heavy 200 mtrs etc., complete and as per the directions of the Engineer-in-charge of the work**	**Cum**	**60.75**	**60**	**3645**
	LOCATION SAME AS ITEM NUMBER 38				

41	**Providing and fixing in position brass gate valve with C.I wheel of approved quality (screwed end) 50mm nominal bore including cost of all materials, labour and HOM of equipments etc., complete and as per the directions of the Engineer-in-charge of the work.**	**Each**	**5**	**1500**	**7500**
	Near Kateeramma temple. A.K.Colony. D.B.Sandra (10H.P/20 , RRNo C3P-2599 , 25 lengths)	2			
	Kalappa layout ,Near Opp.Muslim store (15H.P/30 , RRNo ID-3472138564 , 32 lengths)	1			
	Jola rotti hotel , D.B.Sandra (12.50HP/20 , RRNo S.L.No .11371572 , 28 lengths)	1			
	Nanjappa laout, 1st main, 7th cross. (7.50/16 stg , RRNo ,12 lengths)	1			
		5			